



Cordless Random Orbit Polisher DPO600 150 mm (6")



High power similar to AC tool



Rough Polishing



Forcible rotation mode

Orbital action with forced rotation of the pad for rough polishing such as scratch removal.



Fine Polishing



Free rotation mode

Orbital action with free rotation of the pad for fine polishing.

No codes, Less risks of damage for car body



DPO600
150 mm (6")



Photo : DPO600

Less damage for car body

- As the battery is located here, the battery is less likely to hit a car body directly while working.
- Elastomer is covered for less damage on a car body.

Lock-on button

Change knob
Selectable 2 rotation mode

Work run time

Full speed	Finishing mode
about 15 min	about 30 min

Battery : BL1850B



Ergonomically designed knob handle provides precision and control in a variety of applications.



Conveniently located speed dial enables operator to match speed to application.



Finishing mode makes it easier to work fine polishing by keeping fixed torque and controlling rotation on heavy duty.

Accessories

Side grip



Part No.
198043-5

Pad

(hook & loop type)



Size	Part No.
100mm	197926-6
125mm	197923-2
150mm	197929-0

Sponge pad

(hook & loop type)
(For wax coating)



Size	Part No.
100mm	197912-7
125mm	794558-6
150mm	197914-3

Wool pad

(hook & loop type)
(For high gloss polishing)



Size	Part No.
100mm	197918-5
125mm	197920-8
150mm	199424-6

Felt pad

(hook & loop type)
(For removing wax)



Size	Part No.
100mm	197916-9
125mm	196152-4
150mm	193288-0

Cordless Random Orbit Polisher

DPO600 150 mm (6")

DPO600

- Variable Speed
- Constant Speed
- Soft Start
- Hook & Loop
- Carrying Case

Pad Size	150 mm (6")
Orbits Per Minute (OPM)	Normal mode: 0 - 6,800 Finishing mode: 0 - 5,200
Strokes Per Minute (SPM)	Normal mode: 0 - 13,600 Finishing mode: 0 - 10,400
No Load Speed (RPM)	Normal mode: 0 - 780 Finishing mode: 0 - 600
Orbit Diameter	5.5 mm (7/32")
Vibration Level	Polishing: 10.0 m/s ²
Sound Pressure Level	83 dB(A)
Sound Power Level	94 dB(A)
Dimensions (L x W x H)	530x148x126 mm (20-7/8"x5-7/8"x5")
Net weight	3.1 - 3.6 kg (6.8 - 7.8 lbs.)

Standard Equipment : Side Grip (country-specific), Pad (country-specific), Hex Wrench

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table. Items of standard equipment and specifications may vary by country or area.

Makita Singapore Pte Ltd

7, Changi South Street 3, Singapore 486348
Phone : +65-6546-8700 Fax : +65-6546-8711
Email : msgproductteam@makita.com.sg
Website : www.makita.com.sg
Facebook : www.facebook.com/MakitaSG



MakitaSG



VISIT OUR WEBSITE



DOWNLOAD LEAFLET

PRINTED IN SINGAPORE