



Cordless Mixer  
DUT130



# Mixing at any place

Mixer run time

**25** min

Blade: 165mm

Battery: BL1850B

Material: One liquid paint 4L

Rotation mode: Hi speed mode



**18V**  
LITHIUM-ION

Photo: DUT130


**BL** MOTOR **XPT**

**DUT130**  
Threaded Shaft



Stainless Steel Shaft

to avoid rust  
DUT130 only



Blade Diameter: 165mm

DUT130 only

**Battery cover**



prevents concrete to be scattered on the battery

**Mechanical 2-speed**  
(0-350 & 0-1,300 RPM)



For a wide range of applications

**Rear Handle with Soft Rubber Grip**



Ergonomically designed for comfortable operation

**Powered by 18V Li-ion batteries**



**BL1815N 1.5Ah**  
Part No. 196449-1

**BL1830B 3.0Ah**  
Part No. 197599-5

**BL1850B 5.0Ah**  
Part No. 197280-8

**BL1860B 6.0Ah**  
Part No. 197422-4



BL1850B

**Accessories**

**DUT130**

| Shaft              | Stainless steel                                |         |          |  |
|--------------------|--|---------|----------|--|
| Part No.           | A-43751  |         |          | A-43773  |
| Mixing Blade       | 165  | 150     | 130      | 135  |
| Application        | for mixing low viscosity materials like paints |         |          | for mixing high viscosity materials like plaster, mortar |
| Shape              |  |         |          |  |
| Bolt sold separate | ✓  | -       | ✓        | -  |
| Part No.           | A-43692  | A-43686 | A-43670  | A-43723  |
| Bolt Size          | M8 x 18  | M8 x 25 | M8 x 18  | W5/16 x 16   |
| Part No.           | 265220-5                                       | -       | 265220-5 | -  |

**Cordless Mixer**

**DUT130**

|                    |  |   |
|--------------------|--|---|
| Variable Speed     | <b>Blade Diameter</b>                    | 165 mm (6-1/2")   |
| Mechanical 2-Speed | <b>Shank size of tool holder portion</b> | M12 or M14  |
| Soft Start         | <b>No Load Speed (RPM)</b>               | High / Low: 0 - 1,300 / 0 - 350                         |
|                    | <b>Max Output</b>                        | 650 W   |
|                    | <b>Vibration Level</b>                   | Operation w/o Load: 2.5 m/s <sup>2</sup> or less        |
|                    | <b>Vibration K Factor</b>                | Operation w/o Load: 1.5 m/s <sup>2</sup>                |
|                    | <b>Sound Pressure Level</b>              | 74 dB(A)  |
|                    | <b>Noise K Factor</b>                    | 3 dB(A)   |
|                    | <b>Dimensions (L x W x H)</b>            | w/ Mixing Blade: 916x89x231 mm (36"x3-1/2"x9-1/8")      |
|                    |  | w/o Mixing Blade: 320x89x231 mm (12-5/8"x3-1/2"x9-1/8") |
|                    | <b>Net weight</b>                        | 2.5 - 2.8 kg (5.6 - 6.3 lbs.)                           |

**Standard Equipment :**

Mixing Blade, Shaft, Shaft Holder (country-specific), Grip, Front Cover, Wrenches, Battery, Charger

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014  
Items of standard equipment and specifications may vary by country or area.

**Makita Singapore Pte Ltd**

7, Changi South Street 3, Singapore 486348  
Phone : +65-6546-8700 Fax : +65-6546-8711  
Email : msgproductteam@makita.com.sg  
Website : www.makita.com.sg  
Facebook : www.facebook.com/MakitaSG



VISIT OUR WEBSITE



DOWNLOAD LEAFLET

PRINTED IN SINGAPORE